

PRODUCT SPECIFICATION

Specification No	BPAP-11524-05963	Version No.	V1
Date/Time Spec.Complete	28-FEB-2025 7:23 am	Product Category	BAGS PAPER
Created By	Leanne Taylor	Sales Rep	Leanne Taylor
Category Manager	Alina Neculai	Product in Food Contact	No

CRITICAL CRITERIA			
Sap Code	36986	Is Barcode Required?	Yes, on outer packaging
BRC Packaging Accreditation	No		
FSC Certified Raw Material	No	FSC Certified Finished Product	No
PEFC Certified Raw Material	No	PEFC Certified Finished Product	No
Product Description	4x6x8.5 SCOTCHBAN SATCHEL BAG	Product Style	PLAIN SATCHEL BAGS UNSTRUNG
Handle Type and Dimensions (mm)	N/A	Handle Type and Dimensions Tolerance	N/A
Open Width (mm)	153	Open Width Tolerance	+/-5MM
Closed Width (mm)	102	Closed Width Tolerance	+/-2.5MM
Length (mm)	216	Length Tolerance	+/-5MM
(Total) Side/Bottom Gusset (mm)	51	(Total) Side/Bottom Gusset Tolerance	+/-2.5MM
Film Type (+additives%)	N/A	Film Perforations	N/A
Film Colour	N/A		
Film Thickness (mu)	N/A	Film Thickness Tolerance	N/A
Paper Type	SCOTCHBAN/GREASEPROOF/KIT LEVEL 4 MINIMUM EXPECTATION	Paper Colour	WHITE
Paper Thickness (gsm)	38	Paper Thickness Tolerance	+/-5%
Printed?	No	Sides Printed	N/A
Ink Colours	N/A	Ink Coverage (%)	N/A
Ink Colours (Pantone Numbers)			
Inner Packaging Details	LAID FLAT	Outer Packaging Details	500PCS SHRINK WRAPPED
SECONDARY CRITERIA			
Wicket Details (mm)	N/A	Reinforcement	N/A

Window Details (mm)	N/A	Window Details Tolerance	N/A
Strung Details	N/A	Lamination	N/A
Turn Over Top (mm)	N/A	Turn Over Top Tolerance	N/A
Unit Weight - Individual Item (g)	3.47	Unit Weight - Individual Item Tolerance	+/-5%
Total Weight Excluding Outer Pack (kg)	1.74	Total Weight Excluding Outer Pack Tolerance	+/-5%
Total Weight Including Outer Pack (kg)	1.84	Total Weight Including Outer Pack Tolerance	+/-5%
Specification Comments	A PRE-PRODUCTION SAMPLE IS REQUIRED FOR APPROVAL.		

ADDITIONAL CRITERIA

Customer Code Required	NO	Customer Code	N/A
Outer Barcode and Format	05022458036658 ITF14 / A REPORT SHOWING BARCODE VERIFICATION MUST BE PROVIDED BY SUPPLIER BEFORE STARTING PRODUCTION AND EVERY WEEK OF PRODUCTION.	Inner Barcode and Format	N/A
Individual Product Barcode and Format	N/A	Pallet Barcode and Format	N/A
Perforations	N/A	Ultimate Lift (kg)	N/A
Jog Test (kg/min)	N/A	Jog Test Tolerance	N/A
Ink Adhesion	N/A		

Applicable Regulations	THE PRODUCT MEETS ALL CURRENT UK & EU REGULATIONS	Carton Labels/Markings	SEE ENCLOSED LABEL. ALL BARCODES MUST BE VERIFIED AS GRADE C OR ABOVE ON THE ACTUAL PACKAGING PLEASE PAY SPECIAL ATTENTION TO THE FORMAT OF THE BARCODE TO BE USED: DIGITS AND FORMATS ARE PROVIDED IN THE RELEVANT FIELD OF THIS SPEC. BARCODE: BAR HEIGHT 20.73 MM FOR CONSUMER UNITS (PRODUCTS/RETAILS PACKS) AND 32 MM MINIMUM FOR TRADE UNITS (INNER/OUTER CARTONS) WITH LIGHT MARGINS > 10 MM. MINIMUM LABEL SIZE IS 100 x 75 MM UNLESS OTHERWISE STATED. THE VENDOR AND PO NO. MUST BE COMPLETED ON EVERY CARTON. ALSO, ON EVERY CARTON THERE MUST BE A TRACEABILITY CODE.
Pallet Type	GKN CHEP PALLET / 1000X1200MM	Pallet Configuration	NO. OF CARTONS/PACKS PER LAYER: 20 NO. OF LAYERS PER PALLET: 9 TOTAL NO. OF CARTONS/PACKS PER PALLET: 180 (STRICTLY NO OVER-HANG) THE PALLET CONFIGURATION HAS BEEN CALCULATED BASED ON THE MAXIMUM HEIGHT FOR EPUK WAREHOUSE. CARTON DIMENSIONS TOLERANCE+/-5MM.
Additional Information	N/A	Carton Depth (mm)	150
Carton Width (mm)	210	Carton Length (mm)	220

PLASTIC PACKAGING TAX			
Product Material	N/A	Product Classification	1
Product Net Weight(kg)			
Primary Packaging 1	N/A	Primary Packaging 1 Classification	1
Primary Packaging 1 Net Weight (kg)			
Primary Packaging 2		Primary Packaging 2 Classification	Unknown
Primary Packaging 2 Net Weight (kg)		Weight relevant for PPT (kg)	0.000

BARCODE / IMAGES / ARTWORK

The enclosed is for illustrative purposes only.

The original high quality artwork is available separately.

OUTER LABEL / MINIMUM LABEL SIZE IS 100 X 75 MM.



PLEASE NOTE

This specification is a controlled copy when approved by relevant staff and dated. Subsequent changes in staff do not affect the validity of this specification.