



# RM Curtis & Co Ltd

## Product Specification

Product Information	
Product name	Cut Mixed Peel
Product code	8050655
Product description	Glazed mixed citrus peels
Legal name	Cut sweetened citrus peels
Brand	Curtis
Pack size	6x1kg

Head Office Contact Details	
RM Curtis & Co Ltd	Telephone 02072 740 717
95 Camberwell Station Road	Fax 02077 371 827
London	Email Sales@rmcurtis.co.uk
SE59JJ	www.rmcurtis.co.uk

Technical Contact	
Name	Florina Brooks
Position	Head of Technical & QA
Direct line	0 1787 273811
Mobile	0 7919 561652
Email	florina.brooks@rmcurtis.co.uk

Quality Contact	
Name	Florina Brooks
Position	Head of Technical & QA
Direct line	0 1787 273811
Mobile	0 7919 561652
Email	florina.brooks@rmcurtis.co.uk

Specifications Contact	
Name	Aylin Vatansever/ Mai Makinson-Yau
Position	Specifications Technologists
Direct line	01787 273386; 07562 655370
Email	aylin.vatansever@rmcurtis.co.uk;

Composition Table				
Component name	% In final product	Grade	Country of origin	Additive or processing function
Orange Peel	40	Double cut	Italy	
Compound ingredients: Orange peel, Preservative: <b>SULPHUR DIOXIDE</b>				
Glucose-fructose syrup	30.2		Italy	
Compound ingredients: Glucose				
Lemon Peel	10	Double cut	Italy	
Compound ingredients: Lemon peel, Preservative: <b>SULPHUR DIOXIDE</b>				
Sugar	19.3		Italy, France	
Compound ingredients:				
Citric Acid	0.4		Austria/Belguim	Acidity regulator
Compound ingredients:				
Potassium Sorbate	0.1		Italy	Preservative
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				
Compound ingredients:				

Ingredient Declaration
Orange peel (40%) (Orange peel, Preservative: <b>SULPHUR DIOXIDE</b> ), Glucose-fructose syrup, Sugar, Lemon peel (10%) (Lemon peel, Preservative: <b>SULPHUR DIOXIDE</b> ), Acidity regulator: Citric acid, Preservative: Potassium sorbate.

Please note: parameters are not applicable if shaded

Additive Table			
E-number	Name	Function	Amount (mg/kg)
E330	Citric acid	Acidity regulator	800
E202	Potassium sorbate	Preservative	700
E220	Sulphur Dioxide	Preservative	<100

Allergen Table			
Allergens	Contains	May contain	Does not contain
Cereals containing gluten*			
Crustaceans and products thereof			
Eggs and products thereof			
Fish and products thereof			
Peanuts and products thereof			
Soybeans and products thereof			
Milk and products thereof			
Nuts**			
Celery and products thereof			
Mustard and products thereof			
Sesame seeds and products thereof			
Sulphur dioxide and sulphites at concentrations of more than 10 mg/kg			
Lupin and products thereof			
Molluscs and products thereof			

\*Namely: wheat, rye, barley, oats, spelt, kamut or their hybridised strains, and products thereof

\*\*Namely: almonds (*Amygdalus communis* L.), hazelnuts (*Corylus avellana*), walnuts (*Juglans regia*), cashews (*Anacardium occidentale*), pecan nuts (*Carya illinoensis* (Wangenh.) K. Koch), Brazil nuts (*Bertholletia excelsa*), pistachio nuts (*Pistacia vera*), macadamia or Queensland nuts (*Macadamia ternifolia*), and products thereof

'Contains' indicates that the allergen is intentionally present as an ingredient.

'May contain' indicates a risk of contamination by an allergen not intentionally present as an ingredient.

'Does not contain' indicates that the allergen is not intentionally present as an ingredient and there is no probable risk of contamination.

Dietary Suitability		
Dietary Principals	Suitable	Accredited
Diabetics	No	No
Vegetarian	Yes	No
Vegan	Yes	No
Kosher	Yes	No
Halal	Yes	No
Coeliac	Yes	No
Organic	No	No
RSPO	N/A	No

Please note: parameters are not applicable if shaded

Nutritional Information		
Parameter	Typical values per 100g	Source
Energy (kJ)	1231	Calculated
Energy (kcal)	290	Calculated
Protein (g)	0.1	Supplier information
Carbohydrates (g)	72.3	Supplier information
Starch (g)		
Sugar (g)	51.0	Supplier information
Fat (g)	0.0	Supplier information
Saturates (g)	0.0	Supplier information
Mono-unsaturates (g)		
Poly-unsaturates (g)		
Fibre (g)	4.9	Supplier information
Sodium (mg)	126.00	Supplier information
Sodium (g)	0.13	Calculated
Salt (mg)	315.00	Calculated
Salt (g)	0.32	Calculated

**Irradiated Material**

In compliance with directive 1999/2/EC of the European Parliament and of the Council of 22 February 1999 and all subsequent amendments on the approximation of the laws of the Member States concerning foods and food ingredients treated with ionising radiation, we confirm that this product has not been treated with ionising radiation and nor does it contain ingredients that have been treated with ionising radiation.

**Genetically Modified Material**

In compliance with regulation (EC) No 1830/2003 of the European Parliament and of the Council of 22 September 2003 and all subsequent amendments concerning the traceability and labelling of genetically modified organisms and the traceability of food and feed products produced from genetically modified organisms, we confirm the following:

This product does not consist of and nor does it contain genetically modified material.

This product, including all ingredients, has not been produced from genetically modified material.

Genetically modified organisms have not been used as processing aids or used in connection with the production of this product or any of its ingredients.

Please note: parameters are not applicable if shaded

Organoleptic parameters	
Flavour	Characteristic of sweetened citrus peels, free from objectionable foreign flavours
Aroma	Characteristic of sweetened citrus peels, free from objectionable foreign odours
Typical profile descriptors	Sweet, citrus
Appearance (including colour)	Yellow to brown pieces of peel, approx size 3-5mm in a syrup glaze
Texture	Soft to firm, slightly chewy, no hard bits

Size	Target	Max or range	Sample size
Length(mm)	4	3-5	per piece
Width(mm)	4	3-5	per piece
Height(mm)			
Diameter(mm)			
Whole			
Pieces			
Ground/fine			
Under or over sized pieces			
Size count			
Retained on sieve size(mm)			
To pass through sieve size(mm)			
Any additional size criteria - detail below			


Material Defects	Target	Max or range	Sample size
Discoloured			
Rotten/mouldy			
Broken or incomplete			
Mechanically damaged or bruised			
Infestation - dead			
Evidence of insect damage			
Under developed			
Rancid/bitter/other undesirable flavours	<1%	1%	% by weight
Soft/rubbery/hard or other undesirable textures	<1%	1%	% by weight
Rancid/musky or other undesirable odours	<1%	1%	% by weight
Over roasted/burnt			
Shrivelled			
Sugared berries			
Peduncles and part peduncles			
Residual free syrup	<5%	5%	% by weight
Any additional material defects - detail below			

Please note: parameters are not applicable if shaded

Foreign bodies and contaminants intrinsic to the product	Target	Max or range	Sample size
Total EVM	Absent	Absent	% by weight
Pips/seeds/pits and fragments thereof			
Skin			
Stalk >10mm			
Stalk <10mm			
Total stalk			
Capstems			
Leaves			
Septa			
Shell and shell fragments			
Any additional intrinsic foreign bodies - detail below			

Foreign bodies and contaminants extrinsic to the product	Target	Max or range	Sample size
Dust and grit			
Mineral stones >2mm			
Mineral stones <2mm			
Total mineral stones			
Any additional extrinsic foreign bodies - detail below			

In all cases, parameters expressed as a percentage shall be taken as representative of a production batch.



Please note: parameters are not applicable if shaded

Microbiological Standards				
Criteria	Test method	Test frequency	Target	Maximum acceptable value
Aerobic Colony Count	BS EN ISO 4833:2003	Annual	<100 cfu/g	1,000 cfu/g
Enterobacteriaceae	BS ISO 21528-2:2004			
<i>E. Coli</i>	BS ISO 16649-1:2001	Annual	< 10 cfu/g	10 cfu/g
<i>Salmonella Spp.</i>	single selective enrichment in RV Broth and plating on XLD and BGA	Annual	Absent in 25g	Absent in 25g
Yeast	BS 21527-1.:2008 or BS 4285-3	Annual	<10 cfu/g	100 cfu/g
Mould	BS 21527-1.:2008 or BS 4285-3	Annual	<10 cfu/g	100 cfu/g
<i>Coliforms</i>	BS ISO 4832:2006	Annual	<10 cfu/g	10 cfu/g
Coagulase Positive Staphylococci	BS EN ISO 6888-1:1999			
Bacillus Cereus	Based on Practical Food Microbiology 3rd edition 2003 or ISO 5763-11			
<i>E. Coli 0157</i>	EN ISO 16654-2001			

Chemical Parameters				
Criteria	Test frequency	Testing method	Maximum or range	
Moisture %	Annual	Oven or vacuum method	<25%	
Water activity (aW) %		Oven or vacuum method		
Free fatty acids (FFA) % in oleic		Oven or vacuum method		
Peroxide value (PV) meq/kg		Oven or vacuum method		
pH	Annual	Oven or vacuum method	3.30-3.8	
Brix	Annual	Oven or vacuum method	73-77	
% Solids		Oven or vacuum method		
Heavy metals - Arsenic		Atomic fluorescence	Compliant with UK and EU legislative limits	
Heavy metals - Cadmium	Annual	FAAS or ICP-OES		
Heavy metals - Lead	Annual	FAAS or ICP-OES		
Heavy metals - Mercury		Atomic fluorescence		
Pesticides	Annual	Mass spectroscopy		
Ochratoxin A		HPLC Fluorescence Detection		
Aflatoxin B1		HPLC Fluorescence Detection		
Total aflatoxins		HPLC Fluorescence Detection		
Any additional chemical parameters - detail below				

Please note: parameters are not applicable if shaded

Packaging	
Packaging Format Description	
6 x1kg plastic tubs in a cardboard carton	

Primary Packaging	
Food contact packaging material type	Plastic tub
Colour	Clear, colourless
Method of closure	Closed with tamper evident lid
Capacity per 'inner'	g 1 kg
Number of 'inners' per outer	6

Secondary Packaging	
Outer case/carton/bag packaging material type	Cardboard box
Colour	Brown or white
Method of closure	Taped
Capacity per 'outer' (kg)	6

Barcode	
Consumer unit barcode	5013803805029
Trade unit barcode	n/a
Outer trade unit barcode	05013803805067

The product shall be distributed in clean undamaged packaging. All primary packaging materials shall be food grade and of sufficient durability to ensure the integrity of the product. In compliance with Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 and all subsequent amendments, materials and articles in contact with food shall not transfer their constituents to food in quantities which could endanger human health, bring about an unacceptable change in the composition of the food or bring about a deterioration in the organoleptic characteristics thereof. The labelling, advertising and presentation of a material or article shall not mislead consumers.

Shelf Life and Storage	
Provide a description of the storage conditions required	
Cool dry ambient conditions away from direct sunlight and strong odours. All food products are prone to infestation and it is essential to check regularly during prolonged storage . Once opened, store in sealed containers and use within one month.	
Shelf life from production date (months)	18 months or to BBE date indicated on package markings or release certificate
Minimum shelf life on delivery (months)	4
Recommended storage temperature range (°C)	4-15
Recommended relative humidity range (%)	60-70

It is the responsibility of the customer to ensure appropriate storage conditions are maintained and no concern or complaint will be considered after 28 days from the point of delivery.

Please note: parameters are not applicable if shaded

### Maximum Durability

This is a long-life ambient product and there is generally no food safety concern associated with the use of this product beyond the recommended best before end date given. As with all food and beverage products, the organoleptic characteristics may change over time. The organoleptic changes that occur during storage will be influenced by the storage conditions that the product is subject to and in light of the fact that these conditions are beyond the control of RM Curtis, it is our position that:

A decision to use the products supplied beyond the best before end date stated may be taken at the sole discretion of the customer.

RM Curtis is not in a position to advise customers on a decision to use the products supplied beyond the best before date stated, and any such decision should be made by the customer.

RM Curtis accepts no liability or responsibility for loss or damage resulting from the use of goods beyond the best before end date stated.

### Validity

Version Number		1	
Approval on behalf of RM Curtis & Co Ltd			
Specification	Prepared by		Approved version 1 by
Name	Mai Makinson-Yau		
Position	Specification Technologist		
Date	04/04/2023		

The specification approval and countersign feature is an internal tool which facilitates the monitoring and continuous improvement of the documents held. A specification shall be considered valid provided this is indicated by at least one representative of RM Curtis & Co Ltd. The validity of a specification is not contingent on secondary approval.

### Approval on behalf of the customer / Supplier

Name	
Position	
Date	

This specification shall be considered to be acceptable to all parties in the event that no dispute is raised within a 14 day period of submission.

### Document Control

From time to time, updates and improvements may be made to the formatting of the specification template. These updates may include logos, contact details, syntax and other features which do not influence product quality or the specification agreement between RM Curtis & Co Ltd and its customers. Any such changes will not result in a new specification version number, but may be reflected in the document control parameters detailed below.

Control document reference	QADOC.119
Version number	4
Date issued	14/04/2021
Author	Edita Critoph
Authorised	Florina Brooks