Supplier pro	duct code	02912	
Version		0010	
Issue date		22.03.2021	DENCHAW
Range		Renshaw Professional	RENSHAW
Product title	Fuchsia I	Pink Ready to Roll Icing MB	THE PROFESSIONALS CHOICE EST P 1898
Product desc	ription		
		to roll icing. Perfect for	7
covering and	d decorating cake	s and biscuits.	
Pack size:			12 x 250g e
Contacts			
Customer Se	rvices	Email:	sales@jfrenshaw.co.uk
Specification	is queries	Email:	specifications@realgoodfoodplc.com
Telephone:		0151 706 8200	
Address:		RENSHAW UK	RENSHAW EUROPE
		229 Crown Street	Chemin du Cyclotron 6
		Liverpool	1348 Louvain la Neuve
		Merseyside	Belgium
		L8 7RF	
Applications	information	Web address:	https://www.renshawbaking.com
		Contact:	info@renshawbaking.com
		Legal Compl	
his product	, it's hygienic ma	nufacture, food safety, ingr	edients, packaging, labelling, storage and
ransportation	on within our cor	ntrol, conform to all relevan	t UK/EU legislation in force at the date of
	<b>:</b> -		
nanufacture			in the sales documentation at time of purchase
	is warranted as a	per the statement included	
	is warranted as p		
		GFSI Certific	ation
	BRC	GFSI Certific	ation bry.com/InternalSite//Site.aspx?BrcSiteCode=106056
	BRC	GFSI Certific	ation
The product	BRC Completed	GFSI Certific	ation bry.com/InternalSite//Site.aspx?BrcSiteCode=106056
Signed:	BRC Completed	GFSI Certific  https://www.brcdirector  on behalf of JF Renshaw Ltd	ation bry.com/InternalSite//Site.aspx?BrcSiteCode=106056
The product	BRC Completed Sarah Chee	GFSI Certific  https://www.brcdirector  on behalf of JF Renshaw Ltd	ation bry.com/InternalSite//Site.aspx?BrcSiteCode=106056

Page 1 of 9 02912

### Legal name

Sugar paste

### **Ingredients list**

Sugar, Glucose syrup, Palm oil, Humectant: E422, Emulsifier: E471, Stabiliser: E413, Preservative: E202, Colour: E122\*, Natural flavouring.

Made in a factory that handles nut ingredients (Almonds)

\* may have an adverse effect on activity and attention in children

Composition	Typical figures %	Countries of origin	
Sugar	75 - 80	Algeria, Belgium, Croatia, Denmark, France, Germany, Guatemala, Mauritius, Netherlands, Portugal, United Kingdom	
Glucose Syrup	5 - 10	UK, Netherlands	
Water	1 - 5	UK	
Palm Oil	1 - 5	Papua New Guinea, Solomon Islands, Malaysia, Indonesia	
Humectant: Vegetable Glycerine (E422)	1 - 5	UK, Germany, Belgium, France, Netherlands	
Emulsifier: Mono- and Di- Glycerides of Fatty Acids (E471)	<1	Malaysia, Indonesia (Manufactured in Denmark)	
Stabiliser: Tragacanth Gum (E413)	<1	Turkey	
Preservative: Potassium Sorbate (E202)	<1	China	
Colour: Carmoisine* (E122)	<1	India (Packed in the UK)	
Natural Flavouring	<1	UK	

Colour pigment		
E122*	225 ppm	

Contains components sourced from Palm Oil/Palm Kernel Oil and/ or derivatives	Palm Oil and E471 derived from palm oil
RSPO information	Palm Oil - RSPO Segregated certified sustainable E471 - RSPO MB certified sustainable Finished product is RSPO MB supply chain certified.

Page 2 of 9 02912

Nutritional				
Method: Calculated	Typical figures per 100 g			
Energy (kJ/kcal)	1665 / 393			
Fat (g)	4.2			
of which saturates (g)	2.4			
Carbohydrates (g)	89			
of which sugars (g)	88			
Protein (g)	0.0			
Salt (g)	0.0			

Dietary information			
	Suitable for	Comments	
Vegetarians	Yes		
Vegans	Yes		
Kosher	Yes	Certified. Certificate available on request.	
Halal	Yes	Certified. Certificate available on request.	

#### **Genetically modified materials**

To the best of our knowledge, this product is not made from genetically modified material and does not use processing aids or additives which are genetically modified. A GM policy is available on request.

#### **Irradiated materials**

This product does not contain any ingredients that have been treated with ionising radiation.

#### **Nanomaterials**

This product does not contain any engineered nanomaterials.

### Shelf life: unopened

15 months from date of manufacture.

#### Shelf life: opened

Once opened, it is the responsibility of our customers to establish the maximum permitted time until all material should be used. This will depend on their specific environment, practices and procedures.

Page 3 of 9 02912

# **Free From claims**

We do not make any "Free From" claims for our products as we do not conduct any validation testing.

bstances or pro			

Product	Used on	Head to	
ingredient contains?	same production line?	Used in same Factory	Comments
No	No	No	
Yes	Yes	Yes	Exempt from allergen labelling
No	No	No	
No	No	Yes	Dried Egg White
No	No	No	
No	No	No	
No	Yes	Yes	Lecithins
No	Yes	Yes	Milk, butter, and other derivatives
No	No	Yes	Almonds
No	No	No	
No	No	No	
No	No	No	
No	No	Yes	Present in finished product at <10mg/kg
No	No	No	
No	No	No	
	No Yes No	No N	No N

Page 4 of 9 02912

Microbiological testing				
At the time of manufacture				
Organism	Target	Maximum		
TVC	<5000 cfu/g	5000 cfu/g		
Yeasts & Moulds	<10 cfu/g	100 cfu/g		
Enterobacteraceae	<10 cfu/g	10 cfu/g		
Salmonella	Not detected in 25g	N/A		
CLAS accredited methodology used. Test frequency based on risk assessment (JF Renshaw Ltd, in-house lab)				

Chemical			
Test	Method	Standard	
Moisture	Karl Fischer titration	6.0 - 7.0%	

Physical				
Test	Method	Standard		
Appearance		Bright pink coloured sugarpaste. Pantone reference - approx. 214. Free from any visible lumps or specks.		
Flavour	Organoleptic	Sweet vanilla.		
Texture		Smooth to slightly powdery and soft to the bite leading to a pasty, sticky mouth coating which then dissolves away.		
Aroma	Organoleptic	Sweet vanilla.		

Page 5 of 9 02912

## **Brief process description**

Milled sugar is combined with fat, glucose, gum, colour and flavouring to give a ready to roll icing which is perfect for decorating cakes and/or modelling. The paste is packed, checkweighed and metal detected.

#### Overview of HACCP - available upon request

#### Metal detection

Checked at start up, every hour and end of each packing run: 2.5mm Ferrous, 4.0mm Non-Ferrous, 5.0mm Stainless Steel test pieces

#### **Sieves**

Not appropriate for this product type.

#### **Packaging**

Printed red film with clear window (12μm PET-Alox/ 60μm PE evoh PE-HB), a label applied to back of pack. Packed 12 per corrugated cardboard shelf ready outer case. Outer case label applied. 38 cases per layer, 6 layers high, 228 cases per pallet. All pallets shrink/stretched wrapped.

## **Recycling information**

Film - Plastic not currently recycled SRP Outer - Card widely recycled

#### **Production date code**

5 digit code. 1st & 2nd = year; 3-5 = day of the year e.g 26/08/2016 = 16238 In the event of any issues, please quote information as per example below:



Page 6 of 9 02912

Health & safety data			
Physical Appearance		Bright pink coloured sugarpaste.	
Ingredients		See ingredients section of the specification.	
Intended use		For bakery use.	
Storage & Handling		See specification.	
Occupational exposure hazards		None, under normal conditions of use at room temperature. Avoid eye contact.	
Fire/explosion hazard		The product will burn if ignited, but under normal conditions of use, will present no fire risk.	
	Eyes:	Flush with plenty of water. Seek medical advice if needed.	
First Aid	Skin:	Wash with soap and water.	
First Alu	Ingestion:	No hazard under normal conditions of use.	
	Inhalation:	No hazard under normal conditions of use.	
Spillage		Wash area with detergent and water to avoid slip hazard.	
Disposal of waste		Normal waste disposal in accordance with local and national laws.	
Other hazards		None known.	
Protective clothing		Normal for food handling.	

Page 7 of 9 02912

#### Ready to Roll Icing handling and usage instructions

Ready to roll icing is typically made from icing sugar, glucose syrup, vegetable oil, stabilisers, glycerine, emulsifiers, preservative and flavouring; colours may also be added. (Refer to the ingredients list).

# Possible applications:

Sheeting and covering, moulding, basic modelling and cutting shapes.

#### **Recommended storage**

Ready to roll icing should be stored in dry conditions between 5°C and 18°C, away from heat sources and odorous materials. The shelf life of icing is recommended provided the packaging remains unopened and product is stored correctly. It is the responsibility of our customers to carefully consider and establish that the icing lasts for the required shelf life of their end products.

# **Recommended handling and processing:**

#### a) Opening

Once opened, ready to roll icing should not be exposed to air for prolonged periods as product will harden and also potentially become prone to microbiological contamination.

Once opened, it is the responsibility of our customers to establish the maximum permitted time until all material should be used. This will depend on their specific environment, practices and procedures.

### b) Unused material

Any unused material should immediately be wrapped in close fitting polythene, expelling as much air as possible; then stored in an airtight container for later use.

It is the responsibility of our customers to carefully consider and establish that any re-wrapped material is fit for purpose when using it.

#### c) Handling

For best results before using the icing, ensure it's tempered to room temperature.

Using the heels of both hands, gently knead the paste to warm it and to improve elasticity and pliability.

#### d) Rolling out

Roll out the ready to roll icing on a non-stick surface using a rolling pin and icing sugar to dust the work surface, avoid using an excess of icing sugar as it will cause icing to dry out and crack.

Never roll out cold icing, always ensure you knead the product before rolling out.

Avoid the use of flour to prevent sticking or aid sheeting, as this will potentially introduce both a microbiological and allergen issue.

Page 8 of 9 02912

#### e) Placing sugarpaste on cake

Gently lift the rolled out layer of Ready to roll icing with a rolling pin or with both hands, taking care not to stretch or tear it, position carefully on cake.

Smooth and shape the icing on cake top and sides until it feels silky to the touch, immediately trim any excess icing flush with the base of the cake using a sharp knife.

#### f) Adherence on cakes

Alcohol, clear spirit or cooled boiled water is recommended to be applied to marzipan layer, to aid adherence of icing layer onto the first marzipan layer.

If covering onto a sponge cake, a thin coating of butter cream is recommended to be applied to it to aid adherence of icing layer onto the cake.

#### g) Adherence of models

Alcohol, clear spirit or cooled boiled water is recommended to aid the adherence of any models to the icing layer.

#### Rework

Ensure rework is not overexposed to air or moisture causing drying out or stickiness. Where material is reworked this should not be contaminated with cake crumb or jam.

Rework material should be kept in a cool dry place, wrapped well and used within a short period of time.

It is the responsibility of our customers to carefully consider and establish that any re-work material is fit for purpose and that the maximum permitted time until all material should be used when using it, depending on their specific environment, practices and procedures.

#### Water activity

The imbalance of water activity between the various components of a cake will potentially cause moisture migration to the icing layer. This should be considered during the development of any products.

#### Things to be aware of:

Ready to roll icing may dry out or crack if the icing has been over exposed to air during or prior to handling, too much dusting sugar will also cause drying out and cracking of the icing.

Ready to roll icing may become sticky if it has been exposed to moisture during or prior to handling. This may be caused by an imbalance of water activity between various cake layers.

During manufacture, best practices are carried out to ensure that there is little or no variation in the pre-coloured Renshaw Professional Ready to Roll icing range however; where natural colours are used, there can be some natural variation in colour.

Page 9 of 9 02912